



by Schneider Electric

فروشگاه پویا

www.pouyacctv.com

Telegram: @pouyacctv

Instagram: pouyacctv

Type	Picture	Model	Resolution	Main Features	IRR
Bullet		PL-1007	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 70m 3.6mm fixed lens	2,300,000
Bullet		PL-1006	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	2,080,000
		PL-1006	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	2,250,000
		PL-1006	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	3,000,000
Bullet		PL-501	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 40m 3.6mm fixed lens	2,300,000
		PL-501	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 40m 3.6mm fixed lens	2,500,000
		PL-501	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 40m 3.6mm fixed lens	3,300,000
Bullet		PL-601	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 25m 3.6mm fixed lens	1,900,000
		PL-601	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 25m 3.6mm fixed lens	2,100,000
		PL-601	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 25m 3.6mm fixed lens	3,050,000






by Schneider Electric


فروشگاه پویا

www.pouyacctv.com

Telegram: @pouyacctv

Instagram: pouyacctv

Type	Picture	Model	Resolution	Main Features	IRR
Bullet		PL-701	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 35m 3.6mm fixed lens	2,200,000
		PL-701	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 35m 3.6mm fixed lens	2,500,000
		PL-701	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 35m 3.6mm fixed lens	3,300,000
Vari-focal Bullet		PL-502	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	3,000,000
		PL-502	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	3,500,000
		PL-502	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	4,400,000
		PL-402	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	2,000,000

DOME		PL-402	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	2,250,000
		PL-402	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	3,100,000



فروشگاه پویا

www.pouyacctv.com

Telegram: @pouyacctv
Instagram: pouyacctv




Type	Picture	Model	Resolution	Main Features	IRR
DOME		PL-403	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 20m 3.6mm fixed lens	1,900,000
		PL-403	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 20m 3.6mm fixed lens	2,050,000
		PL-403	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 20m 3.6mm fixed lens	2,850,000
Vari-focal DOME		PL-404	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	2,850,000
		PL-404	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	3,050,000
		PL-404	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	4,200,000
Fish-eye		PL-8027	1.3MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 20m 1.7mm fixed lens	1,600,000
Fish-eye		PL-801	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 1.7mm fixed lens	2,600,000
		PL-801	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 1.7mm fixed lens	2,750,000
		PL-801	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 1.7mm fixed lens	3,600,000



فروشگاه پویا

www.pouyacctv.com

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Resolution	Main Features	IRR
Fish-eye		PL-806	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 40m 1.7mm fixed lens	2,800,000
STAR LIGHT		PL-602	2.4MP	2.4 Megapixel, Starlight , OSD MENU, DWDR & 3D DNR & BLC Max 30fp@1080P HD Max. IR Led length: 10m 3.6mm fixed lens , DC12V	4,150,000
PIN-HOLD		PL-215	2.4MP	2.4 Megapixel HD real-time video 3.7mm fixed lens	1,250,000




by Schneider Electric

فروشگاه پویا

www.pouyacctv.com

Telegram: @pouyacctv
Instagram: pouyacctv







Type	Picture	Model	Main Features	IRR
DVR 1HDD		PL-XVR-7604L	<ul style="list-style-type: none"> . Hybrid input (mix freely) 1080P . 4ch/8ch video in,TV,VGA,HDMI output . 1 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 4 Audio input 	3,400,000
		PL-XVR-7608L	<ul style="list-style-type: none"> . Hybrid input (mix freely) 1080P . 8ch video in,TV,VGA,HDMI output . 1 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 4 Audio input 	4,600,000
FACE DETECTION DVR 1HDD		PL-XVR-7608L	<ul style="list-style-type: none"> . Hybrid input (mix freely) 1080P . 8ch video in,TV,VGA,HDMI output . 1 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 4 Audio input . FACE DETECTION 	5,450,000
FACE DETECTION DVR 2HDD		PL-XVR-8616L	<ul style="list-style-type: none"> . Hybrid input (mix freely) 1080P . 16ch video in,TV,VGA,HDMI output . 2 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 1 Audio input . FACE DETECTION 	9,000,000
FACE DETECTION DVR 4HDD		PL-XVR-9332L	<ul style="list-style-type: none"> . Hybrid input (mix freely) 1080P . 16ch video in,TV,VGA,HDMI output . 4 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 16 Audio input . FACE DETECTION 	23,500,000
4K FACE DETECTION DVR 1HDD		PL-XVR-7604M	<ul style="list-style-type: none"> Hybrid input(Mix freely): TVI(720/1080P) + AHD (720/960/1080P/3.0/4.0MP) + IP (720/960/1080P/3.0/4.0/5.0MP) + Analog(960H) + CVI(720P/1080P) . 4ch/8CH video in,TV,VGA,HDMI output . 1 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 4 Audio input . up to 5MP support . FACE DETECTION . 4K 	4,900,000
		PL-XVR-7608M	<ul style="list-style-type: none"> . 4 Audio input . up to 5MP support . FACE DETECTION . 4K 	8,000,000
4K FACE DETECTION DVR 2HDD		PL-XVR-8608M	<ul style="list-style-type: none"> Hybrid input(Mix freely): TVI(720/1080P) + AHD (720/960/1080P/3.0/4.0MP) + IP (720/960/1080P/3.0/4.0/5.0MP) + Analog(960H) + CVI(720P/1080P) . 4ch/8CH video in,TV,VGA,HDMI output . 2 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 4 Audio input . up to 5MP support . FACE DETECTION . 4K 	9,000,000

<p>4K FACE DETECTION DVR 2HDD</p>		<p>PL-XVR-8616M</p>	<p>Hybrid input(Mix freely): TVI(720/1080P) + AHD (720/960/1080P/3.0/4.0MP) + IP (720/960/1080P/3.0/4.0/5.0MP) + Analog(960H) + CVI(720P/1080P) . 4ch/8CH video in,TV,VGA,HDMI output . 2 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile)</p> <p>. 1 Audio input up to 5MP support</p> <p>FACE DETECTION</p> <p>. IP . 4K</p>	<p>16,000,000</p>
--	---	---------------------	--	-------------------



فروشگاه پویا
www.pouyacctv.com


Telegram: @pouyacctv
Instagram: pouyacctv







Type	Picture	Model	Resolution	Main Features	IRR
IP CAMERA		PL-5051	5MP	Max. IR Led length: 40m 3.6mm lens	8,000,000
		PL-3002	3MP	Max. IR Led length: 40m 3.6mm lens	4,700,000
		PL-403	2MP	Max. IR Led length: 20m 3.6mm fixed lens	3,300,000
		PL-602	2MP	Max. IR Led length: 35m 3.6mm fixed lens	3,600,000
		PL-705	2MP	Max. IR Led length: 35m 3.6mm fixed lens	3,600,000
		PL-705	1.3MP	Max. IR Led length: 35m 3.6mm fixed lens	2,300,000



فروشگاه پویا
www.pouyacctv.com

Telegram: @pouyacctv
Instagram: pouyacctv





Type	Picture	Model	Resolution	Main Features	IRR
		PL-702	2MP	Max. IR Led length: 40m 2.8-12 mm lens	4,300,000

Vari-focal IP CAMERA		PL-703	2MP	Max. IR Led length: 70m 5-50 mm lens	6,300,000
		PL-704	2MP	Max. IR Led length: 50m 5-50 mm lens	5,900,000
		PL-3001	3MP	Max. IR Led length: 40m 2.8-12mm lens	5,200,000
		pl-5009	5mp	Max. IR Led length: 40m 2.8-12mm lens	8,500,000
FISH EYE IP		PL-801	2MP	Max. IR Led length: 30m 1.7mm fixed lens	4,000,000
		PL-806	2MP	Max. IR Led length: 40m 1.7mm fixed lens	4,200,000



فروشگاه پویا
www.pouyacctv.com

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Resolution	Main Features	IRR
NVR 1HDD		PL-1104	2MP	. 1080P . 4ch video in,VGA,HDMI output . 1 SATA x 4TB . P2P; Cloud Storage; built-in free DDNS . 3G Dongle supported ; Digital zoom . ONVIF Mobile phone APP (VSS Mobile) Audio input	2,300,000
		PL-1108	2MP	. 1080P . 4ch video in,VGA,HDMI output . 1 SATA x 4TB . P2P; Cloud Storage; built-in free DDNS . 3G Dongle supported ; Digital zoom . ONVIF Mobile phone APP (VSS Mobile) Audio input	2,700,000
NVR 2HDD		PL-8804	2MP	. 1080P . 4ch video in,VGA,HDMI output . 2 SATA x 4TB . P2P; Cloud Storage; built-in free DDNS . 3G Dongle supported ; Digital zoom . ONVIF Mobile phone APP (VSS Mobile) Audio input	2,600,000
NVR 1HDD		PL-7632	2MP	. 5.0mp support . 8ch video in,VGA,HDMI output . 1 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . 3G Dongle supported ; Digital zoom . ONVIF Mobile phone APP (VSS Mobile) Audio input	16,000,000