




Type	Picture	Model	Resolution	Main Features	IRR
Bullet		PL-1007	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 70m 3.6mm fixed lens	2,990,000
Bullet		PL-1006	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	2,704,000
		PL-1006	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	2,925,000
		PL-1006	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	3,900,000
Bullet		PL-501	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 40m 3.6mm fixed lens	2,990,000
		PL-501	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 40m 3.6mm fixed lens	3,250,000
		PL-501	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 40m 3.6mm fixed lens	4,290,000
Bullet		PL-601	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 25m 3.6mm fixed lens	2,470,000
		PL-601	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 25m 3.6mm fixed lens	2,730,000
		PL-601	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 25m 3.6mm fixed lens	3,965,000

Type	Picture	Model	Resolution	Main Features	IRR
Bullet		PL-701	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 35m 3.6mm fixed lens	2,860,000
		PL-701	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 35m 3.6mm fixed lens	3,250,000
		PL-701	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 35m 3.6mm fixed lens	4,290,000
Vari-focal Bullet		PL-502	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	3,900,000
		PL-502	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	4,550,000
		PL-502	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 50m 3.6mm fixed lens	5,720,000

DOME		PL-402	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	2,600,000
		PL-402	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	2,925,000
		PL-402	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	4,030,000



فروشگاه پویا
www.pouyacctv.com


Telegram: @pouyacctv
Instagram: pouyacctv



Type	Picture	Model	Resolution	Main Features	IRR
DOME		PL-403	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 20m 3.6mm fixed lens	2,470,000
		PL-403	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 20m 3.6mm fixed lens	2,665,000
		PL-403	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 20m 3.6mm fixed lens	3,705,000
Vari-focal DOME		PL-404	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	3,705,000
		PL-404	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	3,965,000
		PL-404	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 3.6mm fixed lens	5,460,000
Fish-eye		PL-8027	1.3MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 20m 1.7mm fixed lens	2,080,000
Fish-eye		PL-801	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 1.7mm fixed lens	3,380,000
		PL-801	3MP	3.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 1.7mm fixed lens	3,575,000
		PL-801	4MP	4.0 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 30m 1.7mm fixed lens	4,680,000








فروشگاه پویا
www.pouyacctv.com

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Resolution	Main Features	IRR
Fish-eye		PL-806	2.4MP	2.4 Megapixel, OSD MENU, DWDR & 3D DNR & BLC 4 IN 1, HD real-time video, IP66 Max. IR Led length: 40m 1.7mm fixed lens	3,640,000



STAR LIGHT		PL-602	2.4MP	2.4 Megapixel, Starlight , OSD MENU, DWDR & 3D DNR & BLC Max 30fp@1080P HD Max. IR Led length: 10m 3.6mm fixed lens , DC12V	5,395,000
PIN-HOLD		PL-215	2.4MP	2.4 Megapixel HD real-time video 3.7mm fixed lens	1,625,000

Type	Picture	Model	Main Features	IRR
DVR 1HDD		PL-XVR-7604L	. Hybrid input (mix freely) 1080P . 4ch/8ch video in,TV,VGA,HDMI output . 1 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS WiFi Supported	4,420,000
		PL-XVR-7608L	. 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 4 Audio input	5,980,000
FACE DETECTION DVR 1HDD		PL-XVR-7608L	. Hybrid input (mix freely) 1080P . 8ch video in,TV,VGA,HDMI output . 1 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 4 Audio input .FACE DETECTION	7,085,000
FACE DETECTION DVR 2HDD		PL-XVR-8616L	. Hybrid input (mix freely) 1080P . 16ch video in,TV,VGA,HDMI output . 2 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 1 Audio input .FACE DETECTION	11,700,000
FACE DETECTION DVR 4HDD		PL-XVR-9332L	. Hybrid input (mix freely) 1080P . 16ch video in,TV,VGA,HDMI output . 4 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 16 Audio input .FACE DETECTION	30,550,000
				0
4K FACE DETECTION DVR 1HDD		PL-XVR-7604M	Hybrid input(Mix freely): TVI(720/1080P) + AHD (720/960/1080P/3.0/4.0MP) + IP (720/960/1080P/3.0/4.0/5.0MP) + Analog(960H) + CVI(720P/1080P) . 4ch/8CH video in,TV,VGA,HDMI output . 1 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS WiFi Supported	6,370,000
		PL-XVR-7608M	. 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile) . 4 Audio input to 5MP support DETECTION . 4K . FACE	10,400,000



فروشگاه پویا
www.pouyacctv.com






Telegram: @pouyacctv
Instagram: pouyacctv

<p>4K FACE DETECTION DVR 2HDD</p>		<p>PL-XVR-8608M</p>	<p>Hybrid input(Mix freely): TVI(720/1080P) + AHD (720/960/1080P/3.0/4.0MP) + IP (720/960/1080P/3.0/4.0/5.0MP) + Analog(960H) + CVI(720P/1080P) . 4ch/8CH video in,TV,VGA,HDMI output . 2 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile)</p> <p>. 4 Audio input to 5MP support</p> <p>DETECTION . 4K</p> <p>. IP up . FACE</p>	<p>11,700,000</p>
<p>4K FACE DETECTION DVR 2HDD</p>		<p>PL-XVR-8616M</p>	<p>Hybrid input(Mix freely): TVI(720/1080P) + AHD (720/960/1080P/3.0/4.0MP) + IP (720/960/1080P/3.0/4.0/5.0MP) + Analog(960H) + CVI(720P/1080P) . 4ch/8CH video in,TV,VGA,HDMI output . 2 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . WiFi Supported . 3G Dongle supported ; Digital zoom . 5 in 1 (AHD,IP,TVI,CVI,ANALOG) . Mobile phone APP (VSS Mobile)</p> <p>. 1 Audio input to 5MP support</p> <p>DETECTION . 4K</p> <p>. IP up . FACE</p>	<p>20,800,000</p>



فروشگاه پویا
www.pouyacctv.com

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Resolution	Main Features
IP CAMERA		PL-5051	5MP	Max. IR Led length: 40m 3.6mm lens
		PL-3002	3MP	Max. IR Led length: 40m 3.6mm lens
		PL-403	2MP	Max. IR Led length: 20m 3.6mm fixed lens
		PL-602	2MP	Max. IR Led length: 35m 3.6mm fixed lens
		PL-705	2MP	Max. IR Led length: 35m 3.6mm fixed lens




		PL-705	1.3MP	Max. IR Led length: 35m 3.6mm fixed lens
Type	Picture	Model	Resolution	Main Features
Vari-focal IP CAMERA		PL-702	2MP	Max. IR Led length: 40m 2.8-12 mm lens
		PL-703	2MP	Max. IR Led length: 70m 5-50 mm lens
		PL-704	2MP	Max. IR Led length: 50m 5-50 mm lens
		PL-3001	3MP	Max. IR Led length: 40m 2.8-12mm lens
		pl-5009	5mp	Max. IR Led length: 40m 2.8-12mm lens
		PL-801	2MP	Max. IR Led length: 30m 1.7mm fixed lens
FISH EYE IP		PL-806	2MP	Max. IR Led length: 40m 1.7mm fixed lens



فروشگاه پویا
www.pouyacctv.com

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Resolution	Main Features
		PL-1104	2MP	<ul style="list-style-type: none"> . 1080P . 4ch video in,VGA,HDMI output . 1 SATA x 4TB . P2P; Cloud Storage; built-in free DDNS . 3G Dongle supported ; Digital zoom . ONVIF . Mobile phone APP (VSS Mobile) . 4 Audio input

NVR 1HDD		PL-1108	2MP	<ul style="list-style-type: none"> . 1080P . 4ch video in,VGA,HDMI output . 1 SATA x 4TB . P2P; Cloud Storage; built-in free DDNS . 3G Dongle supported ; Digital zoom . ONVIF phone APP (VSS Mobile) input 	<ul style="list-style-type: none"> . Mobile . 4 Audio
NVR 2HDD		PL-8804	2MP	<ul style="list-style-type: none"> . 1080P . 4ch video in,VGA,HDMI output . 2 SATA x 4TB . P2P; Cloud Storage; built-in free DDNS . 3G Dongle supported ; Digital zoom . ONVIF phone APP (VSS Mobile) input 	<ul style="list-style-type: none"> . Mobile . 4 Audio
NVR 1HDD		PL-7632	2MP	<ul style="list-style-type: none"> . 5.0mp support . 8ch video in,VGA,HDMI output . 1 SATA x 8TB . P2P; Cloud Storage; built-in free DDNS . 3G Dongle supported ; Digital zoom . ONVIF phone APP (VSS Mobile) input 	<ul style="list-style-type: none"> . Mobile . 4 Audio