






Type	Picture	Model	Main Features	IRR
Classic Bullet		IPC-HFW1230SP	1/2.9" 2M CMOS,ICR,H.264/MJPEG 1080P(1~30fps) , 3.6mm optional,IR 30m,IP67 DC12V/PoE	8,100,000
		IPC-B1A20	1/3" 3M CMOS,ICR,H.264/MJPEG 3MP(1~20fps),1080P(1~30fps) 3.6mm optional,IR 30m,IP67 DC12V/PoE	6,030,000
		IPC-B1A30	1/3" 4M CMOS,ICR,H.264/MJPEG 4MP(1~20fps),3MP/1080P(1~30fps), 3.6mm lens ,IR 30m,IP67 DC12V/PoE	7,500,000
		IPC-HFW1431SP	1/3" 4Megapixel progressive CMOS H.265 & H.264 dual-stream encoding 20fps@4M(2688x1520) &25/30fps@3M(2304x1296) 3.6mm fixed lens Max IR LEDs Length 30m IP67 PoE	11,970,000
Long IR Range Bullet		IPC-HFW4431EP-S-0360B	1/3" 4M CMOS,ICR,WDR (120dB) H.265/H.264,4MP(1~30fps) 3.6mm lens , IR 40m,Micro SD,IP67,DC12V/PoE	11,560,000
		IPC-HFW4631TP-ASE	4K 1/2.5" 8Megapixel progressive scan STARVIS™ CMOS H.265&H.264 dual-stream encoding 15fps@4K(3840x2160),25/30fps@3Mp(2304x1296) Max IR LEDs Length 40m Micro SD memory IP67	22,700,000
			1/2.7" 2Megapixel progressive scan CMOS H.265 & H.264 & MJPEG triple stream encoding Max 25/30fps@2M(1920x1080) WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens,IR LEDs Length 50m,IP67, PoE	
		IPC-HFW4431B-BAS-H	1/3" 4megapixel progressive scan CMOS Support H.264&H.265 dual codec 25/30fps@4M(2688x1520),Smart Detectionsupported WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens (6mm optional) 1/1 Alarm in/out, 1/1 audio in/out Max IR LEDs Length 50m Micro SD memory IP67	11,560,000
Vari-focal Bullet		IPC-HFW2431RP-VFS	1/3" 4Megapixel progressive CMOS H.265 & H.264 dual-stream encoding 20fps@4M(2688x1520)&25/30fps@3M(2304x1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB 2.7~13.5mm varifocal lens Max IR LEDs Length	19,950,000
		IPC-HFW5831EP-ZE	1/3" 4M CMOS,ICR,WDR(120dB) H.264/MJPEG,4MP(1~20fps),3MP(1~30fp) 2.7-12mm motorized lens IR 60m,Micro SD, IP67 DC12V/PoE	46,060,000
		IPC-HFW2431TP-Z-AS-IRE6	1/3" 4M CMOS,ICR,WDR(120dB) H.265+/H.264/MJPEG,4MP(1~20fps),3MP(1~30fp) 2.7-12mm motorized lens IR 60m,Micro SD, IP67 DC12V/PoE	19,950,000



ahua
TECHNOLOGY
www.pouyacctv.com

فروشگاه پویا

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Main Features	IRR
Vari-focal Bullet		 IPC-HFW5431EP-Z-H	1/3" 4Megapixel progressive scan CMOS H.265&H.264,25/30fps@4Mp(2688×1520) Smart Detection supported WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens 2/1Alarmin/out,1/1audioin/out Max. IR LEDs Length 50m, Micro SD memory,	21,370,000
		 ITC237-PW1B-IRZ	1/2.8" 3Megapixel progressive scan STARVIS™ CMOS H.265&H.264,50/60fps@3M(2048×1536) WDR(140dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC 2.7mm ~13.5mm motorized lens Max. IR LEDs Length 50m	65,200,000
		 IPC-HFW81230EP-Z	1/1.7" 12Megapixel progressive scan CMOS H.265&H.264 triple-stream encoding 20fps@12M(4000×3000),25/30fps@4K(3840×2160) DWDR, Day/Night(ICR), 3DNR,AWB,AGC,BLC 4.1mm ~16.4mm motorized lens Max. IR LEDs Length 50m Micro SD memory, IP67, IK10, PoE+	79,500,000
Box Network		 IPC-HF5431EP-H	1/3" 4Megapixel progressive scan CMOS H.264&H.265,25/30fps@4M(2688×1520) Smart Detection supported WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC 2/1 Alarm in/out, 1/1 audio in/out(Built-in Mic) Auto back focus(ABF),Micro SD memory, PoE	
		 IPC-HF8232FP	1/1.9" 2Megapixel progressive scan CMOS H.265&H.264 triple-stream encoding 50/60fps@1080P(1920×1080) WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC Auto back focus(ABF), Micro SD memory, PoE	









ahua
TECHNOLOGY
www.pouyacctv.com

فروشگاه پویا

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Main Features	IRR
Mini Dome		 EBW8630P-IVC	1/3" 4Megapixel progressive scan CMOS H.265&H.264 triple-stream encoding 25/30fps@4M(2688×1520) 2.8mm fixed lens (3.6mm, 6mm optional) Max. IR LEDs Length 20m Micro SD memory, IP67, IK10, PoE	82,770,000

Vandal Dome		IPC-HDBW1230EP	1/2.9" 2M CMOS,ICR,H.264/MJPEG 1080P(1~30fps) , 3.6mm optional,IR 30m,IP67,IK10 DC12V/PoE	8,350,000
		IPC-T1A20	1/3" 3M CMOS,ICR,H.264/MJPEG 3MP(1~20fps),1080P(1~30fps) 3.6mm optional, IR 30m,IP67,IK10 DC12V/PoE	6,030,000
		IPC-D1A30	1/3" 4M CMOS,ICR,H.264/MJPEG 4MP(1~20fps),3MP/1080P(1~30fps), 3.6mm lens IR 30m,IP67,IK10 DC12V/PoE	7,500,000
		IPC-HDBW1431EP-0360B	1/3" 4Megapixel progressive CMOS H.265 & H.264 dual-stream encoding 20fps@4M(2688x1520) &25/30fps@3M(2304x1296) 3.6mm fixed lens Max IR LEDs Length 30m IP67, PoE	12,300,000
Long IR Range Eyeball		IPC-HDW4231E-AS-H	1/2.7" 2Megapixel progressive scan CMOS H.265 & H.264 & MJPEG triple stream encoding Max 25/30fps@2M(1920x1080) WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens,IR LEDs Length 50m,IP67, PoE	9,520,000
		IPC-HDW4421EP-0360B	1/3" 4M CMOS,ICR,WDR (120dB) H.264,4MP(1~20fps) 3.6mm lens,IR 50m,IP66 DC12V/PoE	
		 IPC-HDW4421EMP-AS-0360B	1/3" 4M CMOS,ICR,WDR (120dB) H.264,4MP(1~20fps) 3.6mm lens ,IR 50m,Built-in Mic, Mirco SD,IP67 DC12V/PoE	
		 IPC-HDW4431EP-AS-0360B	1/3" 4M CMOS,ICR,WDR (120dB) H.265/H.264,4MP(1~30fps) 3.6mm lens,IR 50m,Built-in Mic, Mirco SD,IP67 DC12V/PoE	11,560,000
			1/3" 4Megapixel progressive scan CMOS Support H.264&H.265 dual codec 25/30fps@4M(2688x1520),Smart Detectionsupported WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens (6mm optional) 1/1 Alarm in/out, 1/1 audio in/out Max IR LEDs Length 50m, Micro SD memory, IP67	
		 IPC-HDW4830EMP-AS	1/2.3" 5Megapixel progressive scan CMOS H.265&H.264 dual-stream encoding 15fps@4K(3840x2160),25/30fps@3Mp(2304x1296) IP LEDs Length 40m, Micro SD memory, IP67, PoE	



Available on the App Store



ANDROID APP ON Google play






dahua
TECHNOLOGY
www.pouyacctv.com

فروشگاه پویا

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Main Features	IRR
------	---------	-------	---------------	-----

Vari-focal Dome		IPC-HDBW5831EP-ZE	1/3" 4M CMOS,ICR,WDR(120dB) H.264/MJPEG,4MP(1~20fps),3MP/1080P(1~30fps) 2.7-12mm motorized lens IR 30m, Micro SD, IP67, IK10 DC12V/PoE	46,060,000
		IPC-HDBW2431RP-ZAS	1/3" 4M CMOS,ICR,WDR(120dB) H.265+/H.264/MJPEG,4MP(1~20fps),3MP(1~30fps) 2.7-12mm motorized lens IR 60m, Micro SD, IP67 DC12V/PoE	21,400,000
		IPC-HDBW2431RP-VFS	1/3" 4Megapixel progressive CMOS H.265 & H.264 dual-stream encoding 20fps@4M(2688x1520)&25/30fps@3M(2304x1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB	19,150,000
		IPC-HDBW4631EP-ASE	1/3" 4Megapixel progressive scan STARVIS™ CMOS H.265&H.264 triple-stream encoding 50/60fps@1080(1920x1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens	23,300,000
		IPC-HDBW5431EP-Z	1/3" 4Megapixel progressive scan CMOS H.265&H.264,25/30fps@4Mp(2688x1520) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens Max. IR LEDs Length 50m, IP67, IK10, PoE, Micro SD card	21,370,000
		IPC-HDBW5431EP-Z-H	1/3" 4Megapixel progressive scan CMOS H.265&H.264,25/30fps@4Mp(2688x1520) Smart Detection supported WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~12mm motorized lens 2/1Alarmin/out,1/1audioin/out Max. IR LEDs Length 50m Micro SD memory	
		IPC-HDBW8232EP-Z	1/1.9" 2Megapixel progressive scan CMOS H.265&H.264 triple-stream encoding 50/60fps@1080P(1920x1080) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 4.1mm ~16.4mm motorized lens Max. IR LEDs Length 50m, Micro SD memory, IP67, IK10, PoE	
		IPC-HDBW8331EP-Z	1/2.8" 3Megapixel progressive scan STARVIS™ CMOS H.265&H.264,50/60fps@3M(2048x1536) WDR(140dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.7mm ~13.5mm motorized lens Max. IR LEDs Length 50m	
		IPC-HDBW81230EP-Z	4  H.265&H.264 triple-stream encoding 20fps@12M(4000x3000),25/30fps@4K(3840x2160) 4.1mm ~16.4mm motorized lens Max. IR LEDs Length 50m Micro SD memory, IP67, IK10, PoE+	Call



Available on the App Store








ANDROID APP ON Google play



ahua
TECHNOLOGY
www.pouyacctv.com

فروشگاه پویا

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Main Features	IRR
Indoor PTZ		PTZ1A225U-IRA-N	1/2.7" 2Megapixel CMOS Powerful 4x optical zoom Support Triple-streams encoding WDR, Day/Night(ICR), Ultra DNR Max. 25/30fps@1080P, 25/30/50/60fps@720P IVS Support PoE Max 100°/s pan speed , IP66, IK10	74,700,000
Speed Dome		SD49225T-HN	1/2.8" 2Megapixel STARVIS™ CMOS Powerful 25x optical zoom Starlight technology Support H.265&H.264 Triple-streams encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P IVS, Support PoE+ IR distance up to 100m ,IP66	53,600,000
		SD59430U-HNI	1/3" 4Megapixel CMOS Powerful 30x optical zoom H.265 Encoding Max. 25/30fps@4M/3M, 25/30/50/60fps@1080P Auto-tracking and IVS Support PoE+ ,IR distance up to 100m IP66	113,300,000
		SD6C225U-HNI	1/2.8" 2Megapixel STARVIS™ CMOS Powerful 25x optical zoom Starlight technology,H.265 Encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P Auto-tracking and IVS, IR distance up to 150m,IP66	82,150,000
		SD6C430U-HNI	1/3" 4Megapixel CMOS Powerful 30x optical zoom,H.265 Encoding Max. 25/30fps@4M/3M, 25/30/50/60fps@1080P Auto-tracking and IVS,IR distance up to 100m,IP66	
		SD6AE240V-HNI	1/2.8" 2Megapixel STARVIS™ CMOS Powerful 40x optical zoom, Starlight technology H.265 Encoding,Max. 50/60fps@1080P Support Hi-PoE,IR distance up to 200m,IP67 , IK10	



Available on the App Store



ANDROID APP ON Google play













ahua
TECHNOLOGY
www.pouyacctv.com

فروشگاه پویا

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Main Features	IRR
------	---------	-------	---------------	-----

Panoramic		IPC-PSD81602-A360	Panoramic: Eight 1/1.9" 2Megapixel progressive scan CMOS PTZ: One 1/1.9" 2Megapixel progressive scan CMOS H.265/H.264 triple-stream encoding 2x25fps@4096x1800+50/60fps@1080P Support 360-degree panoramic view Day/Night(ICR), 3DNR, AWB, AGC, BLC, Smart tracking Intelligent Function, Micro SD memory, IP67, IK10	Call
		IPC-PBW8601P	Three 1/2.8" 2Megapixel progressive scan STARVIS. CMOS H.265/H.264 triple-stream encoding Max 25/30fps@4096x832 Support 180-degree panoramic view Smart detection ,Intelligent Function Max. IR LEDs length 30m Micro SD memory, IP67, IK10, PoE+	Call
		IPC-EBW81200P	4K    1/2.3" 12Megapixel Exmor R CMOS H.264+/H.264 encoding Max 15fps@12M(4000x3000), 30fps@3M 1.57mm /F 2.2 lens Max> IR LEDs length 10m, Audio In/Out 1/1 Micro SD memory, IP67, IK10, PoE	Call
Cube		   PIR IPC-K35AP	1/3" 3Megapixel progressive CMOS H.264& MJPEG dual-stream encoding 20fps@3M(2304x1296)&25/30fps@2M (1920x1080) 100° horizontal view angle IR Distance 10m Easy4ip cloud support Micro SD card slot, up to 128GB Alarm in/out, PIR DC12V, PoE	659



Available on the App Store






ANDROID APP ON Google play







dahua
TECHNOLOGY
www.pouyacctv.com

فروشگاه پویا

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Main Features	IRR
Compact 1U 1HDD		NVR1A08HS	8 Channel H.264+/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 6Mp resolution preview&playback HDMI/VGA simultaneous video output 3D intelligent positioning with Dahua PTZ camera	6,590,000
Compact 1U 1HDD		NVR4108HS-4KS2	8 Channel H.265/H.264 codec decoding Max 80Mbps Incoming Bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support ANR technology to enhance the storage reliability when the network break down	15,970,000
1U 2HDD		NVR4216-4KS2	16/32 Channel 1U 4K&H.265 Lite Network Video Recorder H.265/H.264 codec decoding	25,640,000

		NVR4232-4K-S2	Max 200Mbps Incoming Bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support ANR technology to enhance the storage reliability when the network break down	28,080,000
1.5U 4HDD		NVR4432-4K-S2		37,820,000
		NVR5464-4K-S2	H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback 2HDMI/VGA simultaneous video output 3D intelligent positioning with Dahua PTZ camera	
2U 8HDD		NVR4832-4K-S2	H.265/H.264 codec decoding Max 200Mbps Incoming Bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support ANR technology to enhance the storage reliability when the network break down	66,500,000
		NVR5864-4K-S2	H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback 2HDMI/VGA simultaneous video output 3D intelligent positioning with Dahua PTZ camera	91,140,000
		NVR608-32-4KS2	384Mbps, Max 12MP, 16ch 1080P decoding, H.265/H.264, 1 VGA/2 HDMI(3840x2160), 2 RJ45(1000M), 4 USB(2USB3.0), 1/1ch audio in/out, 8 HDD(6TB each), 1 eSATA, 16/8 alarm in/out, fisheye dewarp, Smart Track, IVS(optional), face detection, RAID0/1/5/6/10/50/60, N+M, ANPR, thermal	91,180,000
		NVR608-64-4KS2		165,600,000



Available on the App Store





ANDROID APP ON Google play








dahua
TECHNOLOGY
www.pouyacctv.com

فروشگاه پویا

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Main Features	IRR
4-Port PoE Switch (Unmanaged)		PFS3005-4P-58	Two-layer PoE Ethernet switch MAC auto study and aging, MAC address list capacity is 1K Conform IEEE802.3, IEEE802.3u and IEEE802.3X standards Default Mode: The device works as a general switch and all ports support 10/100Mbps auto-negotiation. Extend Mode: VLAN isolation is enabled. Ports 1-4 will be isolated respectively (10Mbps auto-negotiation), but they can communicate with the two-layer industrial PoE switch	
8-Port PoE Switch (Unmanaged)		PFS3110-8P-96	MAC auto study and aging, MAC address list capacity is 8K Support IEEE802.3af, IEEE802.3at standard Conform IEEE802.3, IEEE802.3u, IEEE802.3ab/z and IEEE802.3X standards Industrial wide temperature design	

16-Port PoE Switch		PFS4218-16ET-240	<p>Layer 2 management PoE switch PoE budget: 240W Support PoE, PoE+, Hi-PoE 'Orange port' support Hi-PoE, can be used with the PoE extender (PFT1300) 250 meters long distance PoE transmission PoE management, PoE Setting/Event Statistics/Green PoE Search and upgrade via ConfigTool Support Web management High lightning protection design Non-blocking video transmission</p>	
24-Port PoE Switch		PFS4226-24ET-360	<p>Layer 2 management PoE switch PoE budget: 240W Support PoE, PoE+, Hi-PoE 'Orange port' support Hi-PoE, can be used with the PoE extender (PFT1300) 250 meters long distance PoE transmission PoE management, PoE Setting/Event Statistics/Green PoE Search and upgrade via ConfigTool Support Web management High lightning protection design Non-blocking Support passive PoE cascade power supply and Ethernet data exchange</p>	23,180,000
PoE Extender		PFT1300	<p>able to cascade level 2 PoE Extender, connect to 3 IPC (power consumption <=8W), max transmission distance 300m 1*RJ45 10/100M PoE power supply input; 1*RJ45 10/100M supply power for IP Cam; 1*RJ45 H.265/H.264/MPEG4 video decoding 4ch@12M/4ch@4K/16ch@1080P/64ch@D1 decoding ability 1ch HDMI input, 4ch HDMI/VGA/BNC output, HDMI support Ultra HD 4K output Support up to 4 video-wall display units, support configuration of 1x1,2x1,2x2 Support audio, alarm, bi-directional talk, RS485</p>	
Ultra-HD Network Video Decoder		NVD0405DH-4K	<p>Keyboard to Control: Dahua High Speed Dome Dahua Standalone DVR Dahua Network High Speed Dome Network Video Server Connection</p>	
Network Keyboard		NKB1000		



Available on the App Store





ANDROID APP ON Google play




dahua
TECHNOLOGY
www.pouyacctv.com

فروشگاه پویا

Telegram: @pouyacctv
Instagram: pouyacctv

Type	Picture	Model	Main Features	IRR
Lens		PLZ1040-D	<p>Focal length:2.7-12mm Aperture:F1.6 Focus:Manual Zoom:Manual Iris:DC-Iris</p>	
		PLZ20C0-D	<p>Focal length:3.7-16mm Aperture:F1.5 Focus:Manual Zoom:Manual Iris:DC-Iris</p>	call

		PLZ21C0-P	Focal length:10.5-42mm Aperture:F1.5 Focus:Manual Zoom:Manual Iris:DC-Iris	call
--	---	-----------	--	------

